

Koch, Kristine

From: Koch, Kristine
Sent: Friday, February 13, 2015 12:37 PM
To: GAINER Tom
Subject: RE: FS Section 2

Tom – I'm sorry, but I cannot do that. We have not been tracking all the changes in redline/strikeout and there are too many warrant the effort to go back. If you do a document compare, the whole document ends up red, so you will just have to move forward with the clean version.

Regards,

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup

U. S. Environmental Protection Agency
Region 10
1200 Sixth Avenue, Suite 900, M/S ECL-122
Seattle, Washington 98101-3140

(206)553-6705
(206)553-8581 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)

From: GAINER Tom [mailto:GAINER.Tom@deq.state.or.us]
Sent: Thursday, February 12, 2015 1:11 PM
To: Koch, Kristine
Subject: FS Section 2

Kristine-

To facilitate our review of the upcoming revised FS Section 2, can you provide a redline version of the 8/2014 version of Section 2 that we previously commented on?

Thanks-

Tom Gainer, P.E.

Project Manager/Environmental Engineer
Oregon Department of Environmental Quality, NW Region
503-229-5326

This spring, DEQ's Northwest Region Office will be moving to a new location - the 700 Lloyd Building at 700 NE Multnomah St., Suite #600, Portland, OR 97232. The target date for operating at the new location is May 26th, 2015.